

## DOCUMENT SUMMARY LIST

Item: PISTOL GRIP  
NSN: 1005-01-306-9442  
Control Number/PRON: E10SSBX1

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP 4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

**Price Evaluation Sheet**  
**Solicitation DAAE20-01-T-0421**

**CLIN 0001 - GRIP, PISTOL**  
**NSN: 1005-01-306-9442**  
**PN: 12556995**

**MINIMUM GUARANTEED QUANTITY: 792**

	Ordering Period 1		Ordering Period 2		Ordering Period 3		Ordering Period 4		
Order Quantity Range	Unit Price	Wgt.	Unit Price	Wgt.	Unit Price	Wgt.	Unit Price	Wgt.	TOTAL
250 - 500		10%		10%		10%		20%	
501 - 1000		80%		50%		40%		40%	
1001-1500		10%		40%		50%		40%	
		100%		100%		100%		100%	
Evaluated Price									
Evaluated CLIN Price									

**THE EVALUATED PRICE WILL BE CALCULATED BY SUMMING THE MULTIPLICATION OF EACH ORDER QUANTITY UNIT PRICE BY ITS RESPECTIVE WEIGHT AND THE MINIMUM ORDER QUANTITY OF THE RANGE FOR EACH ORDERING PERIOD.**

**THE SUM OF ALL ORDERING PERIOD EVALUATED PRICES WILL BE THE TOTAL EVALUATED PRICE.**

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: PISTOL GRIP  
TO CONTRACT/PR: E10SSBX1

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

-----

1. A001	14. AMSTA-AR-CCL-F (ECALS)	/ /
2. CONFIGURATION CHANGE CONTROL*		/ /
3. ENGINEERING ACTIONS		
4. DI-CMAN-81554		
5. SECTION C		
6. AMSTA-AR-ES	7. NO 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
PREPARE ENGINEERING ACTIONS IAW DI-CMAN-81544 AND SUBMIT ELECTRONICALLY VIA ECALS WORLDWIDE WEB PAGE <a href="http://EDMD4.PICA.ARMY.MIL/">HTTP://EDMD4.PICA.ARMY.MIL/</a> . *DATA INFORMATION PACKET **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER. THE POC FOR ECALS IS LEE SADAUSKAS, AMSTA-AR-QAW, (973) 724-6626 LEES@PICA.ARMY.MIL.		

-----

1. A002	14. PROCUREMENT	/ /
2. TEST PROCEDURE/ PHOSPHATE COATING PRE-	CONTRACTING	/ /
3. PRODUCTION PROCEDURE	OFFICER	/ 1/
4. DI-NDTI-80603*		
5. MIL-DTL-16232, PARA 3.1		
6. AMSTA-AR-WEP-RM	7. XX 8. A 9. N/A	
10. ONE/R	11. N/A	15. TOTAL 0/ 1/ 0
12. 60 DAC	13. N/A	
16. REMARKS		
BLOCK 8 CONT.-PRIOR TO PRODUCTION, APPROVAL THROUGH THE CONTRACTING OFFICER IS REQUIRED WITHIN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).		

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 12/05/2000

*Exhibit A*